



Compact Grout Plant GGP550/800/150/70DPL-E



The compact grout plants consist of a mixer, agitator, and grout pump. This setup is suitable for a wide range of applications such as anchoring, sleeve pipe and backfill grouting. For higher outputs and increased quality control, the plants are also available in semi-automated and fully automated versions.

Compact Grout Plant GGP550/800/150/70DPL-E

Product features

- Extremely compact mixing and injection system with central lifting point for easy transport and minimum installation time.
- High productivity due to ergonomically positioned operating elements.
- High reliability and low-maintenance operation with good accessibility to the wear parts.
- Automatically to lubricate the seals of grout pump plungers and mixer centrifugal pump.

Typical applications

- Grouting of anchors, soil nails, tension cable as well as for sleeve pipe, rock and contact injections.
- Preparation and pumping of bentonite suspensions or pipe jacking and microtunneling.




Control

PLC with stroke counter Lockable main switch, emergency stop Mixer ON-OFF Grout Pump ON-OFF

Optional


Auxiliary mixing unit Automatic water meter Remote control with 50m cable, ON-OFF





Grout Pump	
Output capacity	9m³/h
Pressure and output	70bar, 50L/min
	20bar, 150L/min
Max. Aggregate size	8mm
Motor power	11Kw
Voltage	380V, 50HZ, 3phase
Hydraulic tank	140L
Pump module	Double
Cooling water flow rate	5~6L/min
Cooling water connection	BSP1/2"
Pressure connection	BSP2"
Suction connection	BSP2 1/2"
Mixer	
Capacity	600L
Circulation Capacity	1400L/min
Circulation Capacity Motor Power	1400L/min 11Kw
Motor Power	11Kw
Motor Power W/C	11Kw >0.5 BSP1"
Motor Power W/C Water Connection	11Kw >0.5 BSP1"
Motor Power W/C Water Connection Agit	11Kw >0.5 BSP1" ator
Motor Power W/C Water Connection Agit Capacity Power	11Kw >0.5 BSP1" ator 800L 2.2Kw
Motor Power W/C Water Connection Agit Capacity Power GGP550/800/150/7	11Kw >0.5 BSP1" ator 800L 2.2Kw DDPL-E Grout Plant
Motor Power W/C Water Connection Agit Capacity Power	11Kw >0.5 BSP1" ator 800L 2.2Kw

Pump performance

Construction and dimension













Gaode Equipment Co., Ltd.

No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China P.C. 450053 Tel: +86-371-55951660/55951210 Mobile/WhatsApp/Viber:+86-13939067523 Fax: +86-371-63526676 Email: info@gaodetec.com Website: www.gaodetec.com

