

地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号 邮编 P.C.:450053 No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan

电话 TEL.:+86-371-55951660

GCP15H-D Squeeze concrete hose pump



Product Description:

GCP15H-D hose type concrete pump was designed based on the squeeze hose pump, the concrete pump uses high pressure, wear resisting extruded tubes. More widely used for pumping foam concrete, lightweight form concrete, mortar and refractory materials. The concrete pump also could be used for spraying concrete or refractory materials.



地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号 邮编 P.C.:450053 No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan

电话 TEL::+86-371-55951660

Product Feature

- 1. Compact size, hopper, extrusion pumps, power sources combined in a base frame.
- 2. Adopting squeeze type pumping, the squeeze hose is the only wearing parts.
- 3. Imported special concrete squeeze tubes, pressure, wear, long life.
- 4. Clean on the line, sample, convenient.

Product Specification

Description	parameter
Squeeze Pump	GH76-610
Hose ID	76mm (Trelleborg Squeeze hose)
Speed	37rpm
Output	15m3/h
Pressure	2.5Mpa
Max. Aggregate size	<15mm
Concrete Slump	15-23cm
Hopper Capacity	350L
Stirring speed	37rpm
Diesel engine power	30KW
Overall Dimension	2400x2100x1800mm
Weight	2300kg
Used for spraying, recommend air compressor: the output is 6m3/h, the pressure≥0.5bar	




地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号 邮编 P.C.:450053

No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan

电话 TEL.:+86-371-55951660

Product detailed part





地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号 邮编 P.C.:450053 No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan

电话 TEL.:+86-371-55951660

Gaode Equipment Co., Ltd.

Add: No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou,

Henan China P.C.: 450000

Tel:+86-371-55951660 Email: info@gaodetec.com;

Web: www.gaodetec.com