



**Gaode Equipment CO., LTD.**

(No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China)

**JBT40 L2 Trailer concrete pump with forced mixer**



**1. Description:**

Trailer concrete pump with forced mixer is combined by the traditional concrete pump and the mixer together. It achieves full automatic during concrete construction process.

**2. Application:**

Convey floor heating lightweight foamed cement, mortar, fine aggregate concrete.

Convey greening soil in ecological environment construction.

Convey all kinds of engineering construction in the plain concrete, fiber concrete.

Most suitable for four to six floor buildings, especially in the group buildings, bridges and the small construction sites where need the concrete mixer at the scene.

**3. Features:**

Innovation, mixer can be pushed and pulled, moving more safely

Transfer concrete through pipeline. It is fast and safe.

It has small size and suitable for more special environment.

Optional part: cement boom, wireless remote control. This is easy to operate.

Compulsive mixing, high quality, high efficiency

Optional batching machine, setting up the materials faster, Well-proportioned and efficient

Hydraulic outrigger



## Gaode Equipment CO., LTD.

(No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China)

### 4. Technical data

Parameters	JBT40 L2
Main oil pump	Domestic / Kawasaki 112
Mixer model	JS 500
The maximum theoretical delivery output	40 m <sup>3</sup> /h
The maximum theoretical mix output	28m <sup>3</sup> /h
Vertical pumping distance	70m
Horizontal pumping distance	300m
Main oil cylinder / Rod * Stroke	100*70*800
Distribution valve type	S valve
Main motor	37kw
Outlet pressure	7Mpa
Hydraulic system type	Open system
Oil Cylinder * Rod * Stroke	100*70*100
Delivery Cylinder * Stroke	200*1000
Hopper Capacity * Filling Height	600*1050
Motor voltage	380V
Hoist motor	5.5kw
Mixing motor	18.5kw
Concrete Outlet Diameter	200mm
Max. aggregate size	Pebble 40mm; Crushed stone:30
Weight	5300kg
Dimension	4960*2100*2500mm



**Gaode Equipment CO., LTD.**

(No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China)

## 5. Usage

Trailer concrete pump with mixer used in horizontal pumping



Trailer concrete pump with mixer used in vertical pumping





**Gaode Equipment CO., LTD.**

(No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China)

**郑州高德机械设备有限公司**

Gaode Equipment Co., Ltd.

No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District,  
Zhengzhou, Henan China

P.C. 450053

Tel: +86-371-55951210

Fax: +86-371-55951210

Email: [info@gaodetec.com](mailto:info@gaodetec.com)

Website: [www.gaodetec.com](http://www.gaodetec.com)



**Gaode Equipment CO., LTD.**

(No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China)